according to Regulation (EC) No 1907/2006 (REACH) as amended



BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier BrillBird Scrub

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

For professional use only

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Brillbird Europe Kft.

Address Ó utca 46.sz, Budapest, 1066

Hungary

Phone +36 30/506-8820
E-mail brbirdeurope@gmail.com
Web address http://www.brillbird.hu/

Competent person responsible for the safety data sheet

Name Brillbird Europe Kft.
E-mail brbirdeurope@gmail.com

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Hazard pictogram





Signal word

Danger

Hazardous substances

propan-2-ol acetone

Hazard statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing mist/vapours/spray.
P312 Call a POISON CENTER if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to in accordance with national regulations.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|---|-----------------|---------------------|---|------|
| Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 | propan-2-ol | 50-75 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 | 1 |
| Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2 | acetone | 10-25 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066 | 1 |
| Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1 | n-butyl acetate | 1-5 | Flam. Liq. 3, H226 STOT SE 3, H336 EUH066 | 1 |

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide $2-5\ dL$ of water. Provide medical treatment if the person has any health problems.

according to Regulation (EC) No 1907/2006 (REACH) as amended



BrillBird Scrub

Creation date

11th November 2022

Revision date Version 1.0

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

| omea miguem | | , | |
|---------------------------------|--|-----------|------------------------|
| Substance name (component) | | Туре | Value |
| | | WEL 8h | 999 mg/m ³ |
| propag 2 of (CAS, 67,62,0) | | WEL 8h | 400 ppm |
| propan-2-ol (CAS: 67-63-0) | | WEL 15min | 1250 mg/m ³ |
| | | WEL 15min | 500 ppm |
| | | WEL 8h | 1210 mg/m ³ |
| acetone (CAS: 67-64-1) | | WEL 8h | 500 ppm |
| acetone (CAS. 67-64-1) | | WEL 15min | 3620 mg/m ³ |
| | | WEL 15min | 1500 ppm |
| | | WEL 8h | 724 mg/m ³ |
| n butul acatata (CAC) 122 96 4) | | WEL 8h | 150 ppm |
| n-butyl acetate (CAS: 123-86-4) | | WEL 15min | 966 mg/m ³ |
| | | WEL 15min | 200 ppm |

DNEL

acetone

| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source |
|---------------------|-------------------|---------------------------|--------------------------|------------------------|--------|
| Consumers | Oral | 62 mg/kg | Systemic chronic effects | | |
| Consumers | Dermal | 62 mg/kg | Systemic chronic effects | | |
| Workers | Dermal | 186 mg/kg | Systemic chronic effects | | |
| Workers | Inhalation | 2420 mg/m ³ | Local acute effects | | |
| Consumers | Inhalation | 200 mg/m ³ | Systemic chronic effects | | |
| Workers | Inhalation | 1210 mg/m ³ | Systemic chronic effects | | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 1 Revision date

11th November 2022 Version 1.0

n-butyl acetate

| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source |
|---------------------|-------------------|---------------------------|--------------------------|------------------------|--------|
| Workers | Dermal | 11 mg/kg/24h our | Systemic chronic effects | | |
| Workers | Inhalation | 300 mg/m ³ | Systemic chronic effects | | |
| Consumers | Oral | 2 mg/kg/24h our | Systemic chronic effects | cX | |
| Consumers | Dermal | 6 mg/m³/24h | Systemic chronic effects | | |
| Consumers | Inhalation | 35.7 mg/m ³ | Systemic chronic effects | | |
| Workers | Inhalation | 600 mg/m ³ | Local acute effects | | |
| Workers | Inhalation | 600 mg/m ³ | Systemic acute effects | | |
| Workers | Inhalation | 300 mg/m ³ | Local chronic effects | | |
| Consumers | Inhalation | 35.7 mg/m ³ | Local chronic effects | | |
| Consumers | Inhalation | 300 mg/m ³ | Local acute effects | | |
| Consumers | Inhalation | 300 mg/m ³ | Systemic acute effects | | |
| Workers | Dermal | 11 mg/m³/24h | Systemic acute effects | | |
| Consumers | Dermal | 6 mg/m³/24h | Systemic acute effects | | |
| Consumers | Oral | 2 mg/m³/24h | Systemic acute effects | | |

propan-2-ol

| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source |
|---------------------|-------------------|------------------------|--------|------------------------|--------|
| Workers | Dermal | 888 mg/m³/24h | | | |
| Workers | Inhalation | 500 mg/m ³ | | | |
| Consumers | Dermal | 319 mg/m³/24h | | | |
| Consumers | Inhalation | 89 mg/m ³ | | | |
| Consumers | Oral | 26 mg/kg/24h our | | | |

PNEC

acetone

| Route of exposure | Value | Value determination | Source |
|---|------------|---------------------|--------|
| Drinking water | 10.6 mg/l | | |
| Seawater | 1.06 mg/l | | |
| Freshwater sediment | 30.4 mg/kg | | |
| Sea sediments | 3.04 mg/kg | | |
| Water (intermittent release) | 21 mg/l | | |
| Microorganisms in wastewater treatment plants | 100 mg/l | | |
| Soil (agricultural) | 29.5 mg/kg | | |
| | | | |

n-butyl acetate

| Route of exposure | Value | Value determination | Source |
|------------------------|-----------|---------------------|--------|
| Freshwater environment | 0.18 mg/l | | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

n-butyl acetate

| Route of exposure | Value | Value determination | Source |
|---|--------------|---------------------|--------|
| Soil (agricultural) | 0.0903 mg/kg | | |
| Water (intermittent release) | 0.36 mg/l | | |
| Microorganisms in wastewater treatment plants | 35.6 mg/l | | |
| Seawater | 0.018 mg/l | | / X |
| Freshwater sediment | 0.981 mg/kg | 4 | |
| Sea sediments | 0.0981 mg/kg | | |

propan-2-ol

| Route of exposure | Value | Value determination | Source |
|------------------------|------------|---------------------|--------|
| Freshwater environment | 140.9 mg/l | | |
| Seawater | 140.9 mg/l | | |
| Freshwater sediment | 552 mg/kg | | |
| Soil (agricultural) | 28 mg/kg | | |

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | liquid |
|--|-----------------------------|
| Colour | colourless |
| Odour | characteristic |
| Melting point/freezing point | data not available |
| Boiling point or initial boiling point and boiling range | data not available |
| Flammability | data not available |
| Lower and upper explosion limit | data not available |
| Flash point | 15 °C |
| Auto-ignition temperature | data not available |
| Decomposition temperature | data not available |
| рН | data not available |
| Kinematic viscosity | data not available |
| Solubility in water | data not available |
| Partition coefficient n-octanol/water (log value) | data not available |
| Vapour pressure | data not available |
| Density and/or relative density | |
| Density | 0,95-1,05 g/cm ³ |
| Relative vapour density | data not available |



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

Particle characteristics

data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

acetone

| Route of exposure | Parameter | Value | Exposure time | Species | Sex |
|-------------------|------------------|-------------|---------------|----------------------------|-----|
| Oral | LD50 | 5800 mg/kg | | Rat (Rattus norvegicus) | |
| Inhalation | LC50 | 76000 mg/kg | | Rat (Rattus norvegicus) | |
| Dermal | LD ₅₀ | 7400 mg/kg | | Rabbit | |

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

according to Regulation (EC) No 1907/2006 (REACH) as amended



BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

acetone

| Parameter | Value | Exposure time | Species | Environment |
|-----------|-----------|---------------|------------------------------|-------------|
| LC50 | 5540 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | |
| LC50 | 8800 mg/l | 48 hour | Daphnia (Daphnia magna) | |
| LC50 | 2100 mg/l | 24 hour | Artemia salina | |
| NOEC | 2212 mg/l | 24 hour | Daphnia (Daphnia magna) | |
| NOEC | 530 mg/l | 8 day | | |
| LOEC | 430 mg/l | 96 hour | | |

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 01 11 waste paint and varnish containing organic solvents or other hazardous substances *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

SECTION 14: Transport information

14.1. UN number or ID number

UN 1993

14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S. (mixture of acetone and isopropyl alcohol)

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

F1

Safety signs

3



Road transport - ADR

Special provisions 274, 601, 640D

Limited quantities 1 L Excepted quantities E2

Packaging
Packing instructions
P001, IBC02, R001

Mixed packing provisions MP19

Portable tanks and bulk containers

Guidelines T7

Special provisions TP1, TP8, TP28

ADR tank

Tank code LGBF
Vehicles for tank carriage FL
Transport category 2
Tunnel restriction code (D/E)

Special provision for

operation S2, S20

Railway transport - RID

Special provisions 274, 601, 640D

Excepted quantities E2

Packaging

Packing instructions P001, IBC02, R001

Mixed packing provisions MP19

Portable tanks and bulk containers

Guidelines T2

Special provisions TP1, TP8, TP28

RID Tanks

Tank code LGBF Transport category 0



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022

Revision date Version 1.0

Air transport - ICAO/IATA

Packaging instructions for limited amount Y344
Packaging instructions passenger 355
Cargo packaging instructions 366

Marine transport - IMDG

EmS (emergency plan) F-E, S-E MFAG 310

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Product contains reportable explosives precursors: Reporting of suspicious transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing mist/vapours/spray.
P312 Call a POISON CENTER if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to in accordance with national regulations.

A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

DNEL Derived no-effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EK Identification code for each substance listed in EINECS

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association



according to Regulation (EC) No 1907/2006 (REACH) as amended

BrillBird Scrub

Creation date 11th November 2022
Revision date Version 1.0

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from Ships

NOEC No observed effect concentration
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Eye Irrit. Eye irritation Flam. Liq. Flammable liquid

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.